

Message

From: Blake, Ellen [Blake.Ellen@epa.gov]
Sent: 12/15/2017 7:58:11 PM
To: Miller, Amy [Miller.Amy@epa.gov]; Smith, DavidW [Smith.DavidW@epa.gov]
Subject: RE: Meeting with DOH concerning ADC drainage system

Kurano, Matthew matthew.kurano@doh.hawaii.gov

Ellen Blake
 Office of Regional Counsel
 U.S. EPA Region 9
 75 Hawthorne Street
 San Francisco, CA 94105
 Tel: (415) 972-3496
 Fax: (415) 947-3571
blake.ellen@epa.gov

The information contained in this message, including any attachments hereto, may be privileged, confidential and/or exempt from disclosure under applicable laws. It is intended for the recipient only. If you are an agency employee or consultant, please consult with the sender prior to disclosing the contents of this message to third parties. If you have received this transmission in error, please notify the sender by reply email and delete the message and any attachments.

From: Miller, Amy
Sent: Friday, December 15, 2017 10:35 AM
To: Smith, DavidW <Smith.DavidW@epa.gov>; Blake, Ellen <Blake.Ellen@epa.gov>
Subject: RE: Meeting with DOH concerning ADC drainage system

Just have me the email and I will take it from there.

Amy C. Miller
 Chief of Staff and Ag Liaison
 Office of Regional Administrator
 U.S. Environmental Protection Agency, Region IX
 (415) 947-4198
miller.amy@epa.gov

From: Smith, DavidW
Sent: Friday, December 15, 2017 10:05 AM
To: Blake, Ellen <Blake.Ellen@epa.gov>; Miller, Amy <Miller.Amy@epa.gov>
Subject: RE: Meeting with DOH concerning ADC drainage system

I would say Stan Chow (AG Office) and Matt Kurano (DOH) would be the right people to invite. I am out of office all week next week. But I will email Stan and Matt to see about trying to schedule a call next week.
 Dave

From: Blake, Ellen
Sent: Friday, December 15, 2017 9:38 AM
To: Miller, Amy <Miller.Amy@epa.gov>
Cc: Smith, DavidW <Smith.DavidW@epa.gov>
Subject: RE: Meeting with DOH concerning ADC drainage system

Attorney Client Do Not Release

What day? Dave, who from DOH? It seems like it's been more of the AG's office working on settlement, rather than DOH, right?

Ellen Blake
Office of Regional Counsel
U.S. EPA Region 9
75 Hawthorne Street
San Francisco, CA 94105
Tel: (415) 972-3496
Fax: (415) 947-3571
blake.ellen@epa.gov

The information contained in this message, including any attachments hereto, may be privileged, confidential and/or exempt from disclosure under applicable laws. It is intended for the recipient only. If you are an agency employee or consultant, please consult with the sender prior to disclosing the contents of this message to third parties. If you have received this transmission in error, please notify the sender by reply email and delete the message and any attachments.

From: Miller, Amy
Sent: Friday, December 15, 2017 7:58 AM
To: Smith, DavidW <Smith.DavidW@epa.gov>; Blake, Ellen <Blake.Ellen@epa.gov>; Garnett, Desean <Garnett.Desean@epa.gov>
Cc: Grow, Richard <Grow.Richard@epa.gov>; Reyes, Deldi <Reyes.Deldi@epa.gov>; Grisier, Mary <Grisier.Mary@epa.gov>; TenBrook, Patti <TenBrook.Patti@epa.gov>
Subject: Meeting with DOH concerning ADC drainage system

David and Ellen:

Ex. 5 AC/DP

Many thanks!

Amy C. Miller
Chief of Staff and Ag Liaison
Office of Regional Administrator
U.S. Environmental Protection Agency, Region IX
(415) 947-4198
miller.amy@epa.gov